

BOTTLESMOKER TECHNICAL RIDER



CONTACT:
Agam | +6285721252205
bottlesmoker@gmail.com

2022

PA SYSTEM

(small area coverage 8x12 m)

1	MID HIGH SPEAKERS <i>Active Speaker 15 inch (700 – 1400 Watt)</i>	2 UNITS
----------	---	----------------

2	SUB <i>Active Subwoofer 18 inch (1250 – 2500 Watt)</i>	2 UNITS
----------	--	----------------

3	SPEAKER MANAGEMENT <i>Frequency response 20 hz – 20 khz.</i>	1 UNIT
----------	--	---------------

4	EQUALIZER <i>Dual Channel 31 Band Equalizer</i>	1 UNIT
----------	---	---------------

5	MIXER CONSOLE <i>Manual or Digital, Full Parametric EQ.</i>	1 UNIT
----------	---	---------------

*conditional for big stage

MONITOR SYSTEM

■	MID HIGH SPEAKERS <i>Active Speaker 12 inch (400 – 800 Watt), Frequency Response 50 hz – 20 khz</i>	4 UNITS
----------	---	----------------

EQUIPMENTS NEED (to be confirmed)

■	PINEAPPLE, YES! REAL PINEAPPLE <i>Young/green pineapple would be great</i>	5 ITEMS
----------	--	----------------

■	KEYBOARD STAND <i>Single Type</i>	4 UNITS
----------	---	----------------


CHANNELS LIST

1	SEQUENCER - L <i>Digitakt</i>	DIRECT XLR
2	SEQUENCER - R <i>Digitakt</i>	DIRECT XLR
3	SYNTHESIZER 1 - L <i>Moog Sub 25</i>	DIRECT XLR
4	SYNTHESIZER 1 - R <i>Moog Sub 25</i>	DIRECT XLR
5	SYNTHESIZER 2 - L <i>Deepmind 6</i>	DIRECT XLR
6	SYNTHESIZER 2 - R <i>Deepmind 6</i>	DIRECT XLR
7	MIXER - L <i>JDXi + Kaossilator</i>	DIRECT XLR
8	MIXER - R <i>JDXi + Kaossilator</i>	DIRECT XLR
9	MIC 1 <i>Speech</i>	DIRECT XLR <i>SM 58</i>
10	MIC 2 <i>Speech</i>	DIRECT XLR <i>SM 58</i>

STAGE PLOT

FRONT STAGE / AUDIENCE

STAGE AREA



BACK STAGE

DESCRIPTION

BOARD 1

- Synthesizer Deepmind

BOARD 3

- Audio Mixer
- Sequencer Digitakt

BOARD 2

- Synthesizer Moog

BOARD 4

- Synthesizer JDXi

*We can accept and adjust to all the possibilities and conditions as long as we have a discussion before :)