

BEATRAY

Technical Rider

Members:

Tommy Vogel - Rhythmus-Gitarre, Lead-Vocals
 Steven Vogel - Lead-Gitarre, Backup-Vocals
 Michael Hotovy - Bass, Backup-Vocals
 Stefan Klickermann - Schlagzeug

Tech-Eng.:

Karsten Simon
 ☎ +49(0)170 2012817
 ✉ Karstensimon@gmx.de

Bandcontact: Tommy Vogel ☎ (+491775251392)

✉ beatrayband@hotmail.de

!ALL VIEWS LISTED ARE STAGE VIEWS – PLEASE SWITCH PANORAMA AT FOH FOR AUDIENCE!

Ch	Instr.	Mic	Stand	Notes	DCA
1	L Kick In	E901			1
2	L Kick Sub	E902			1
3	R Kick In	E901			1
4	R Kick Sub	E902			1
5	Snare Top	E904		Reverb	1
6	Snare Bottom	E604			1
7	H-Tom 1	E604		Reverb	1
8	H-Tom 2	E604		Reverb	1
9	H-Tom 3	E604		Reverb	1
10	H-Tom 4	E604		Reverb	1
11	FL-Tom 1	E604		Reverb	1
12	FL Tom 2	E604		Reverb	1
13	OH L	E614			1
14	OH R	E614			1
15	Hi Hat L	E614			1
16	Ride R	E614			1
17	Trigger				1
18	Steven MESA R	DI			2
19	Tommy KPA L	DI			2
20	Bass DI	DI		-	2
21	Back Voc R	Beta58	-	Reverb/Delay	3
22	Lead Voc C	E635		Reverb/Delay	3
23	Lead Voc2 L	Beta58		Reverb/Delay	3
24	Talkback FOH				
25					
26					
27	-	-	-	-	-
28	-	-	-	-	-
29					-
30					-
31					-
32					-

Rhythm guitar:

- 1 Kemper Profiler Rack Powered
- 1 DI-Out (XLR)

Lead guitar:

- 1 Mesa Boogie Dual Rectifier, 100W, 230V
- 1 FX-Board, 230V
- 1 DI-Out (XLR)

Drums: (All Mics are already placed on and inside the Kit)

- 2 Kick Drum – 2 Mics each
- 1 Snare Drum – 2 Mics
- 6 Toms
- 2 Hi-Hat
- 10 Cymbals

Bass:

- 1 1FX-Board, 230V
- 1 Di-Out (XLR)

Vocals:

- 3 Mic (2 Lead-Vocals, 1 Backup-Vocals)

Monitoring:

All members use In-Ear Monitors. Please remove monitors if there is no space on-stage for proper live performances.

Monitorrack houses a 32-CH. analog split for FOH – Phantompower is provided by Presonus Series III 32R Rackmixer.

Band brings all microphones themselves. Two Mic-Stands for Leadvox 2 and Backing Vox shall be provided by venue.

