Technical rider IGOR BUTMAN QUARTET ver.7

1. P.A. system

The Front of House system – a professional, high quality, minimum Three (3) way stereo PA system with a frequency response of 20Hz – 20Khz. Line Arrays are preferred.

2. FOH console

Must be located at the center line of the venue, **NOT** under/on the balcony.

Front of House mixing console – a high quality console must conform to the following

specifications:

- 1. Minimum 24 inputs
- 2. Four (4) band fully parametric EQ per channel
- 3. The facility to assign input channels to sub-groups OR direct-to-mix
- 4. Minimum of Four (4) auxiliary sends per channel
- 5. Minimum of Eight (8) sub-groups
- 6. Phase reverse for all channels
- 7. Phantom power with individual channel control

Digital console – Yamaha M7CL or CL-series + WiFi Router

Rack (in case of analog desk):

Compressors – 6 channels (Dbx 160A/166, Klark Teknik DN530/540 or equal quality). 8-channel dynamics ARE NOT ACCEPTABLE.

Processor of effects – **2** reverb's (T.C. M2000/3000, Yamaha SPX990/2000). No Lexicon please.

1/3 EQ's for PA – Klark Teknik DN360 or equal quality

Ipod cable (1/8" jack - 2 x 1/4" jack)

3. Monitor System

4 equal monitor wedges with 1/3 graph EQ's (Dbx, KT, BSS) in Aux inserts. 15" monitors are preferred.

1-line - sax - 2 monitors;

2-line - piano - 1 monitor;

3-line – drums – 1 monitor;

4. Backline

Drum set: Yamaha Oak/Maple Custom Absolute or PHX (Phoenix), Tama Starclassic Maple, Pearl MMX

- Bass drum with hole (20"),
- Snare drum 14x5 or 5,5"
- Toms (12"rack, 14"legs, 16"legs),
- New drumheads (Remo Coated Weatherking Ambassador),
- Cymbal stands 4 pieces
- Snare drum stand,
- Hi-Hat stand,
- Bass drum pedal,
- Adjustable drum seat,
- Carpet under the drum set min. 2x2m

Bass: Ampeg SVT-3Pro + B410HE Classic cab. Please, raise bass combo on 40-50cm

Please provide **Acoustic double bass** with David Gage Realist pick up.

Piano: Concert grand piano "Steinway & Sons "D/B model, Yamaha CFX/C7/C5 tuned to A-440.

Adjustable piano seat.

5. Stage

Please provide 4 music stands.

6. Lights

White, yellow. It is FORBIDDEN - blinking, usage of a stroboscope and sharp change of light!

Contacts: Tel.: +7(926)1670730-Evgeny, FOH engineer;

e-mail: vector20011@yandex.ru

INPUT LIST Igor Butman Quartet ver.7

Tel.: +7(926)1670730-Evgeny, FOH engineer

e-mail: vector20011@yandex.ru

| Nº | Instrument | Microphone | Dynamic and subgroups | Note |
|-------|---------------------|-----------------------------|-----------------------|--------------------------|
| 1. | Kick | Beta52; | insert COMPRESSOR | Short stand |
| 2. | Snare | SM57; E904; E604; | insert COMPRESSOR | Short stand or clamp |
| 3. | Tom | E904; E604; beta98 | | |
| 4. | Tom | E904; E604; beta98 | | |
| 5. | Tom | E904; E604; beta98 | | |
| 6. | OH Left | 2 x C414EB; C451; KSM137; | | 2 x Tall boom stand |
| 7. | OH Right | | | |
| 8. | Bass line | Active Radiall DI-box | insert COMPRESSOR | |
| 9. | Bass Mic | We supply (clip) | | Don't need a stand |
| 10. | Piano Low | 2 x AKG C414; DPA4099P | | 2 x Long boom stand |
| 11. | Piano High | | | |
| 12. | Piano Monitor | SM57 | | Long boom stand |
| 13. | Saxophone | Wireless system (We supply) | insert COMPRESSOR | Don't need a stand |
| 14 | Speaker | Radio Beta 58 | insert COMPRESSOR | Straight stand |
| 15 | Vocal | Radio Beta 58 | insert COMPRESSOR | Y-cable or digital split |
| 16 | Vocal monitor split | | | |
| St 1. | RETURN HALL 1 | | | |
| St 2 | RETURN HALL 2 | | | |
| 24. | Talkback | SM 58S with switch | | |