PAISLEY


Technical Rider



David Barth +49 173 3147812 paisley.dresden@gmail.com http://paisleyofficial.com

Tony Gerasch +49 177 5017211 booking@undressedrecords.com http://undressedrecords.com

PAISLEY – Stage Plan



PAISLEY

Technical Rider

Liam Floyd (Vocals, Rhythm Guitar)

Guitar:	Gretsch Electromatic Corvette G5135
	 Fender Classic Player Baja Telecaster
Amp:	• Vox AC15 C2
	2x12" Tube combo
	• (1) Clean
	(2) Drive Channel
	(3) Overdrive (Ibanez TS9 Tube Screamer)
Microphone (Voc 1):	 Lead vocals (his own Shure SM58)
Monitor:	 Lead vocals & rhythm guitar

David Barth (Lead Guitar)

Guitar:	Fender American Standard Stratocaster
	Fender Classic Player Baja Telecaster
Amp:	Fender Hot Rod Deluxe
	1x12" Tube combo
	• (1) Clean
	(2) Drive channel
	(3) Integrated boost
	(4) Overdrive (T.Rex Diva)
Monitor:	Both guitars & bass

Fabian Catoni (Bass)

Bass:	Fender Custom Shop 1955 Precision Bass
	 Fender Custom Shop 1962 Jazz Bass
Amp & cab:	Amp: Ashdown ABM 500 EVO III
	 Cab: Ashdown CL 610 (6x10")
	(1) Compressor (Markbass Compressore)
	(2) Distortion (T.Rex Bass Juice)
	Mic or DI
Monitor:	Both guitars, snare & lead vocals

Luis Darko (Drums, Backing Vocals)

Shell set:	 Gretsch Catalina Club Rock: 12"x08" Tom 16"x16" Floor Tom 24"x14" Bass Drum Pearl Free Floating Snare 14"x08"
Cymbals:	 Zildjian K- Series: 14" Standard HiHat 16" Dark Crash 18" Dark Crash 20" Standard Ride
Microphone (Voc 2):	For backing vocals on the HiHat side of the drum set
Monitor:	Lead vocals, backing vocals, bass & rhythm guitar

<u>Overview</u>

Microphones:	2x Vocals
	2x Guitar Amps
	 3x Drum Mic (Snare, 2x Tom)
	1x Bass Drum Mic
	 Possibly 1x Bass Amp
	 Possibly 2x Overhead (drums)
Monitors:	4 Monitors
Sockets:	 3x at the front of the stage for effect boards
	 3x at the back of the stage for amps
Mixer inputs:	 Total of 9 – 12 inputs

Cheers!