ZAGAR BAND

STANDARD TECHNICAL RIDER 2017

The band:

Setup: Drums, Bass and DJ, Guitar, Electronics-synth, Vocal. The band's almost every channels, are go into a 2x8 DI Box (MAIN RACK). After symmetrizing it goes on a groupcable (max 1 meter) into the stagebox. Among the channels there's a monitormix channel as well which should be given back through a monitor mixer only to MIX1.

Parking:

The parking place of the Zagar techincs should be as near to the stage as possible. Parking place should be on the same floor as the stage. In case of 6 or more stairs we'll require local help in transporting the technic.

Stage:

The stage's size should be at least 8x6 meters and at least 0,6 meters high, and there should be a separate place for the drums on the stage which's size should be min. 3 x 2 meteres and it should be at least 0,2 m high.

The stage itself and all equipments shall apply to the general safety measures. In case of outdoor event the stage should be a covered whatever the weather conditions are. For setting up the equipment we require static homogenic lighted stage.

Lights:

There's no specific light crew travelling with the band these days, so we welcome any local help. In case of our own projection, the lights should be supporting the projection.

Projection:

We require:

- Min. 1 piece of 16:9 format canvas orLED wall (the bigger the better), on the stage behind or above the band
- 1 piece min 8000 ansi lumens projector
- 1 piece of 1,2 x 0,8 meters desk for the VJ, next to the stage or at the mixing desk
- connection: Macintosh port modify

Sound:

No specific requirements apart from the general good sound quality. At the mixing desk we require at least 110dBA!!!!! possibility full spectrum. (Exception: state laws)

Mixing, mixing desk:

Analogue: min 40 channels - (<u>Midas</u>, Soundcraft Series5, Yamaha PM,or similar) Digital: min 40 channels (<u>Venue</u>, Midas Pro, Soundcraft Vi, Yamaha CL,QL,or similar)

NO BEHRINGER!!!!!!

Placing: In the symmetric middle-line of the concert hall, in the axis of the PA. At the 2/3 of the sound projected space. Maximum 0,2 meter high from the ground. Not accaptable placing: side of the stage, separated room, balcony.

Effects:

Insert (dynamics controll):

10x comp. (DBX, BSS, Drawmer) 6x gate (DBX, BSS, Drawmer) 1x stereo master EQ (Klark)

ZAGAR BAND

STANDARD TECHNICAL RIDER 2017

On the side:

1 piece of good quality reverb like BRICASTI DESIGN M7, TCM6000,Lexicon480 EventideHxxxx

2x multifx (TC M-ONE, M2-3000, Lexicon PCMxx, Yamaha SPXxxxx)

Monitor:

There's no specific monitor-mixer person travelling with the band. The band's setup requires 5 channels of monitors. 3 primary channels, with two loudspeakers (min 105dB SPL), on the 4^{th} channel with drumfill, 5^{th} channel with Bass Shaker.

Stands:

8 pieces of double stands (4 big, 4 small)

Power:

7 pieces six plugs outlets (230V)

Backline:

drum kit:

- 22" bassdrum
- 10" 12" 14" 16" toms with holders
- hi-hat stand
- snare stand
- 3 cymbal stands
- drum chair
- drum carpet

Pearl (Masters Custom Mahogony, Reference or Master Series), DW, Yamaha (recording, absolute, oak) Tama (starclassic, superstar)

- 1 piece of drum-stage 2x3m
- 1 piece of machine-stage 2x2m (on roll)
- 1 piece of 130cm (high) x 110cm (long) x 60 cm (wide) table or rack (dj booth)
- 3 pieces keyboard stands (Z type)

Technical contact: Peter realpepe@gmail.com

ZAGAR BAND STANDARD TECHNICAL RIDER 2017

Zagar Channel Inputs List:

i Chamilei ii	ipuis List.
Kick	D6 (only)
Snare Top	SM57 (only)
Snare Bottom	SM57 (only)
Tom 1.	E904 (only)
Tom 2.	E904 (only)
Tom 3.	E904 (only)
Tom 4.	E904 (only)
H/H	NT5 (or similar)
O/H	NT5 (or similar)
O/H	NT5 (or similar)
SPD Left	(your Di.box)
SPD Right	(your Di.box)
Guitar Left	(your Di.box)
Guitar Right	(your Di.box)
Motu 1	xlr
Motu 2	xlr
Motu 3	xlr
Motu 4	xlr
Motu 5	xlr
Motu 6	xlr
Korg SW1 Left	xlr
Korg SW1 Right	xlr
Prophet Left	xlr
Prophet Right	xlr
Moog	xlr
Vocoder	xlr (your SM58)
Dj. Left	(your Di.box)
Dj. Right	(your Di.box)
Keymix Left	(your Di.box)
Keymix Right	(your Di.box)
Bass	xlr
Vocal	xlr (your SM58)
Main Rack Left	xlr (only monitor mix 1!!!)
Main Rack Right	xlr (only monitor mix 1!!!)
	Kick Snare Top Snare Bottom Tom 1. Tom 2. Tom 3. Tom 4. H/H O/H O/H SPD Left SPD Right Guitar Left Guitar Right Motu 1 Motu 2 Motu 3 Motu 4 Motu 5 Motu 6 Korg SW1 Left Korg SW1 Right Prophet Left Prophet Right Moog Vocoder Dj. Left Dj. Right Keymix Left Keymix Right Bass Vocal Main Rack Left

(35.-40. Effects of the F.O.H. If the analog mixer!)

ZAGAR BAND STANDARD TECHNICAL RIDER 2017

