



Telepoetic

Technical Rider & Stage plan

Technical Requirements

Band Members	Instruments
Ahmed Saleh	Lead Guitar & Electronic
Amir Rizk	Drums & Pads
Mohamed Desouky	Bass Guitar

Bass

Requirements	Nos	Brands/ Comments
Monitor	1	Standard
XLR	1	Standard
Bass Amp (Minimum 300 WATT)	1	Hartke/ Ampeg/ Marshall
1/4 inch Cables	2	Standard
Condenser Microphone to put infrunt of the amp	1	Microphone

Guitar

Requirements	Nos	Brands/ Comments
1/4 inch Cables	2	Standard
Monitor	1	Standard
XLR	1	Standard
Guitar Amp (Minimum 100 WATT) twin reverb	1	Marshall / Fender
Condenser Microphone to put in front of the amp	1	Microphone

Electronics

Requirements	Nos	Brands/ Comments
Di Box	1	Standard
Line (right+left on the mixer)	2	Standard
Table (80 x50 cm) with 100 cm height	1	Standard
1/4 inch Cables	2	Standard
Video Projector	1	Standard

Technical Requirements

Drums

Requirements	Nos	Brands/ Comments
6 Pieces Kit: (Kick Drum: 22”), (4 Toms: 10”-12”-14”-16”), (Snare: 14”)	1	Tama/ DW
Stands: (4 Cymbal), (Hi-Hat 14”), (Ride 22”), two (Crash 16”/18”)	8	Standard
Extra Snare Stand for Drum Pads	1	Standard
Drums Chair	1	Standard
Monitors with sub.	1	Standard
Drums Microphones		
Snare Microphones	1	SM-57
Kick Microphone	1	Shure- Beta/ D112 AKG/ Synthesizer
Overheads Condensers	2	Shure SM 81/ AKG
Hi-hat Condenser microphone	1	
Toms Microphones	4	Sure Tom Mics/ Shure SM-57

Technical Requirements

Stage Map

