

*Tungz Tech Spec - Sebright Arms 25th Jan***Band Members: 4**

		Our equipment	Please provide	Monitor Preferences
Ollie	Bass	Bass amp		Hi SPDSX
Jamie	Guitar, Vocals	Guitar amp	-Mic + Stand	Hi Vocals
Nicky	Keys, Vocals	-Synth 1 LR thru stereo DI -Synth 2 LR thru different stereo DI	-4 XLRs for synth DI's -Mic + Stand	Hi synth 1+ 2 with same balance as FOH Hi Vocals Hi SPDSX
Rick	Drums, Sample pad, backing vocals	Breakables SPDSX	-DI for sample pad -Mic + Stand	Hi SPDSX

Overall FOH Mix notes

Style of music: Funk-pop

Punchy funk bass, loud synth (mostly pad sounds), choppy guitar, a few songs with sample drums

2 vocals (Jamie + Nicky) in equal volume w. short tape delay for Nicky on mixer

Tungz - Tech. Set List

- **Pre-show playlist from iPod** (please play loudly)

- **Line check**

Intro FX thru Synth 2 (Band walks off and back on stage during this)

SET (SPDSX used for one shot drum samples throughout)

1. Do you like it?

- Samples from synth 2

2. Analogue You

3. What I Wanted

4. My baby can stand being alone

5. Can we just be friends again

6. Fruit

- SPDSX samples = main drum sounds (Please make loud in FOH)

7. Window Love

- SPDSX = main drums
- Real drums enter for loud rock outro

8. Touch

- Intro drum loop from Synth 2 - cuts out for good after intro

- Band walk offstage -

ENCORE: This must be the place

Power

Nicky: requires access to 3 mains sockets

Jamie: 2 sockets

Rick: 1 socket




Ollie: 2 sockets

TUNGZ

STAGE PLOT

we need:

- 4 XLRs out of synth rig
- 1 DI for SPD-SX



*band owns

