


Black Alley STAGE PLOT



Side fills

Mix 6 & 7 if necessary

Josh Hartzog

SWR System(Power amp) **SWR900**

4x10 cabinet

1x15 cabinet

1 guitar stand

Eric Champeloux

Roland JC120 jazz chorus, or Fendor Twin

1 Guitar stands(1guitar stand)

Hope Udobi

1xKorg **Triton** Pro 61 keys 1- **Motiff 7**

3-Sustain pedal

Triple quick lock Stand

midi cables

Roland KB500(stage Amp)

Keyboard 1

Mack Tyson

1xKorg Triton Pro

sustain pedal

single tier stand

Keyboard 2

Roland KB550 amp

Midi Cables

Walter "Bo" Beedy: Percussion

Large LPs: 9/11 and 11/11 (w/ heavy duty stand); 2 jr. LPs: 266A and 266B (w/ heavy duty stand)

L/P Congas Stands

L/P Comfort Curve II rims

2- roll-a-toms

chimes & cowbells

2-drum pads

Danny "Animal" Hnederson

Drums:Yamaha Stage or DW/ Pearl

1.Kick Drums 18"x22"

2. 2xRack Toms 10" & 12"

3. 1xFloor Tom 16"

4. 1xSnare Drum 14x5 1/2

5. 1xDW 5000 Foot Pedal

6. 2x Snare Drum stands

Cymbals:Zildjian "Z" Custom

A. 8" splash

B. 10"splash

C. 14" crash

D. 16" thin crash

E. 18" Medium crash

F. 18" china

G. 22" rider

H. 13" high hat

Vocals:

2 Background Vocals

2 wireless handelds

Please clear all potential equipment switch outs w/ Z. Bobby Marshall

240-602-4028

Rider subject to minor changes if personnel changes require

BLACK Alley

Black Alley Input list

FRONT OF HOUSE CONSOLE:

YAMAHA PM-5D DIGITAL or M7CL CONSOLE
MIDAS HERITAGE 3000 (40 INPUTS)

SoundCraft (MH2/3 or Series 5)

EFFECTS:

(2) REVERBERATORS -
TC ELECTRONICS M1 (PREFERRED), YAMAHA, LEXICON
(2) TAP DELAYS (TC ELECTRONICS D2 OR M300)

**** - IF USING THE YAMAHA PM-5D, THE ABOVE WILL NOT NEED TO BE PROVIDED***

COMPRESSORS:

(8) CHAN GATE/COMPS (PRESONUS APC88 (PREFERRED), BSS OR DRAMER ALSO FINE)
(16) CHANNELS OF COMPRESSION, (BSS OR DRAMER CHANNEL LINKING A MUST -APC88'S WILL WORK)
(2) CHANNELS OF TUBE COMPRESSION - PREFERABLY AVALON (OR ANY 12AX7TYPE TUBE COMP)

**** - IF USING THE YAMAHA PM-5D, THE ABOVE WILL NOT NEED TO BE PROVIDED***

EQUALIZATION:

KT , BSS, ASHLEY, AND OTHER HIGH-END MODELS ONLY
(PLEASE NO BERINGER)
(1) RTA ANALYZER

**** - IF USING THE YAMAHA PM-5D, THE ABOVE WILL NOT NEED TO BE PROVIDED***

FRONT OF HOUSE SPEAKERS:

JBL Line Array – Vertecs or VRX (preffered)
EAW Line Arrays, Meyers boxes
EV Line Arrays, -

PLEASE NOTE: FRONT OF HOUSE SPEAKERS MUST BE OF SUITABLE SIZE & QUANTITY FOR THE SELECTI

MONITOR CONSOLE:

YAMAHA PM-5D DIGITAL CONSOLE (PREFERRED)

MIDAS 3000 OR SOUNDSCRAFT , Allen-Heath

YAMAHA PM-4000 OR 3500 48 INPUTS

16

MONITOR SPEAKERS:

EAW SM 200 OR SM 500

JBL (no JRX)

PLEASE NOTE: ALL MONITORS MUST BE BI-AMPED

MONITOR MIXES ARE AS FOLLOWS:

(3) VOCAL MIXES ACROSS THE FRONT (*TWO WEDGES FOR EACH MIX*)

(2) KEYBOARD MIXES

(2) DRUM MIXES

(2) STEREO SIDE FILLS

PRODUCTION COMPANY TO PROVIDE 2-WAY COMMUNICATION FROM FRONT OF HOUSE TO STAGE, AND (1) TECHNICIAN DEDICATED TO THE FRONT OF HOUSE FROM LOAD-IN UNTIL PERFORMANCE IS COMPLETED

If anything Different contact Bobby Marshall- 240-602-4028

Black Alley Input list

Black Alley Input list

ED VENUE AND TO PRESENT A ARTIST IN A PROFESSIONAL MANNER

Black Alley Input list

	<u>Black Alley</u>	<u>Mic/DI</u>	<u>Stand</u>	<u>Insert</u>
1	<i>Kick</i>	SM91/52 Beta	shrt boom	GATE
2-3	<i>Snare</i>	SM57	clip	COMP
4	<i>HI-Hat</i>	SM81/451	stand	
5	<i>TomL</i>	SM98	CLIP	GATE
6	<i>TomR</i>	SM98	CLIP	GATE
7	<i>Flrtom1</i>	SM98	CLIP	GATE
8	<i>OHL</i>	SM81/451	TALL BOOM	
9	<i>OHR</i>	SM81/451	TALL BOOM	
10	<i>Bass</i>	B52/DI	SHRT BOOM	COMP
11	<i>Guitar1</i>	409/SM57	SHRT BOOM	
12-13	<i>Key1-Stereo</i>	DI		
14-15	<i>Key 2- Stereo</i>	DI		
16-17	<i>Key 3- Stereo</i>	DI		
18	<i>Percussion</i>	<i>421/57</i>	stand/clip	
19	<i>Percussion</i>	<i>421/57</i>	stand/clip	
20	<i>Percussion</i>	<i>421/57</i>	stand/clip	
21	<i>Percussion</i>	<i>421/57</i>	stand/clip	
22	<i>Timbales</i>	<i>SM57</i>	boom	
23	<i>SDS</i>	DI		
24	<i>Voc1</i>	Beta 87	straight	
25	<i>VOC2</i> <i>backup</i>	Beta 87	straight	
30	<i>AFX</i>	<i>Delay</i>		
31	<i>AFX</i>	<i>Rev</i>		
32	<i>AFX</i>	<i>Pitch1</i>		
33	<i>AFX</i>	<i>Pitch2</i>		

Stage Mix

Black Alley requires 7 monitors minimum
1 drum fill, side fills,