
Ronin Technical Requirements

We have a left handed drummer so we need to be able, and have time to turn the kit around, this usually takes 15 minutes, we have our own roadie and have become very efficient at it. The Theremin and Synth don't usually get used; if you will struggle to accommodate these please let us know. We can provide certain Mics if pre-arranged, If you need us to do this please let us know well in advance.

Channel	Content	Preferred Mic or Equivalent	Channel Requirements	Other
1	Kick	AKG D112		
2	Snare	SM57		
3	Tom 1	PG56		
4	Tom 2	PG56		
5	Tom 3	PG56		
6	НН	AKG C430		
7	OH L	SM81		
8	OH R	SM81		
9	Bass	DI out from Amp		
10	Lead Guitar	Sennheiser e906		
11	Rhythm Guitar	Sennheiser e906		
12	Lead Vocals (Kit)	Sennheiser e 935 / OM7 / SM58	Reverb	
13	Secondary Vocals (Loz)	SM58 - (Preferably not a 57)	Reverb	
14	Backing Vocals (Jake)	SM58	Reverb	
15	Backing Vocals (Dave)	SM58	Reverb	
16	Mini Synth	DI Box	Reverb	Doesn't usually get used
17	Theremin	DI Box	Reverb	Doesn't usually get used

Monitor Mixes (in order of importance) –

<u>Kit</u>	<u>Loz</u>	<u>Dave</u>	<u>Jake</u>
Kit Vocals	Loz Vocals	Dave Vocals	Jake Vocals
Kit Guitar	Loz Guitar	Bass	Loz Guitar
Loz Guitar	Kit Vocals	Kick	Bass
Loz Vocals	Kick	Snare	Kit Vocals
	Snare	Kit Vocals	Kick
	Bass	Loz Guitar	



MONITOR
Jake Vocal
Kick
Loz Guitar
Bass
Kit Vocal

X2 Power

KIT'S GUITAR COMBO / STACK

DAVE'S BASS RIG

